

SIGHTINGS: FALL AND WINTER 1999-2000

Greg D. Jackson

Autumn and winter are exciting times, especially for those in search of off-course strays. This year did not disappoint, as witnessed by the rarities presented below for both seasons. A bonus was Alabama participation in the Migration Over the Gulf Project, monitoring trans-Gulf migration from offshore drilling platforms. Previously this was performed only off Louisiana, but this fall the program was expanded to include several rigs in Texas and one in Alabama waters.

Weather in early fall was dry, with normal to mildly elevated temperatures. October and November continued to be slightly warm, but with normal rainfall totals. Numbers of transients on the coast were generally good through much of September, and after fronts 10 and 14 October. No tropical storms struck our area this autumn, though in late September Tropical Storm Harvey passed through the northern Gulf. Weather was mostly dry and warm throughout the winter season.

This report covers the period from August 1999 through February 2000 in Alabama and the Florida Panhandle (east to the Apalachicola River). The appearance of observations in this column does not suggest verification or acceptance of records for very rare species; these must be considered by the appropriate state records committees. All submissions of birds that are rare, either in general or for a particular season or region, must be accompanied by adequate details of the observation. The extent of this documentation depends on the rarity of the species and the difficulty of identification. For guidance, observers are encouraged to consult the recently revised AOS checklist. Reports should note conditions of observation and the diagnostic characters observed. Your help in this matter is appreciated.

Abbreviations and Italics: County names are in italics. Locations not indicating Florida are in Alabama. "AFB" = Air Force Base; "b." = banded; "CBC" = Christmas Bird Count; "et al." = and others (small number); "FWBSF" = Ft. Walton Beach spray fields, Okaloosa County, FL; "GC" = Gulf Coast (Alabama); "ICP" = Inland Coastal Plain (Alabama); "m.ob." = many observers; "MR" = Mountain Region; "NF" = National Forest; "NWR" = National Wildlife Refuge; "p.a." = pending acceptance by the state bird records committee; "Petronius" = Viosca Knoll 786 Texaco platform, 71 miles south of Gulf Shores, Baldwin County (water depth 1750 feet); "ph." = photographed; "SP" = State Park; "TV" = Tennessee Valley; "v." = videotaped; "WMA" = Wildlife Management Area; "WP" = Western Panhandle of Florida (Escambia, Santa Rosa, and Okaloosa

Counties). Other abbreviations in parentheses correspond to observers listed at the end of this article.

LOONS TO DUCKS

Red-throated Loons, rare but regular in our area, were spotted 20 December at Destin, *Okaloosa* (WJB) and 2 February at West Point L., *Chambers* (SWM). Expected now on the coast and in the TV, Pacific Loons were observed 23 December-30 January at Ft. Pickens, *Escambia* (RAD, LRD, SRM et al.), 25 December-9 February at Wheeler Dam, *Lawrence* (SWM, m.ob.), and 1 and 26 January at two sites in coastal *Baldwin* (RRR, ALM, ADM). Good numbers of Pied-billed Grebes were tallied this year, with at least 600 at Swan Creek WMA, *Limestone*, 7 November (SWM), and 96 on the Gulf Shores CBC, *Baldwin*, 1 January, the latter setting a new GC maximum. An alternate-plumaged Eared Grebe 6 August+ at FWBSF (RAD, EC, m.ob.) established a new early WP date; also early was the individual east of Fairhope, *Baldwin*, 8 September (RAD, LRD). The Eared 26 December-8 January at Guntersville, *Marshall* (SWM et al., ph.) was rare inland. Setting a new state high count, 22 Eareds were at Week's Bay, *Baldwin*, 31 January (ALM, ADM).

The offshore migration project at the Petronius platform yielded major pelagic dividends this fall. At least 10 **Cory's Shearwaters** were documented there 19 August-6 October (SJP, some v., p.a.); Alabama had only seven prior accepted records. Additionally, a minimum of 10 Greater Shearwaters was recorded 18 August-13 October (SJP, WDP, some v., p.a.), more than half as many as the previous 19 state records. Representing an eighth WP observation, a **Sooty Shearwater** was seen at Ft. Pickens, *Escambia*, 23 December (RAD). Three **Audubon's Shearwaters** appeared 13 October at Ft. Pickens, with two seen 20 October (both RAD); only two previous Audubon's have been identified in the WP. Another Audubon's can be identified from videotape obtained 31 October at Petronius (SJP, p.a.), for the seventh Alabama record. An unidentified storm-petrel was late 4 October at Petronius (SJP).

A stellar find, Alabama's first **Red-billed Tropicbird** was an adult at Petronius 30 August (SJP, ph., p.a.). A few Masked Boobies are expected well offshore, and six were documented on five dates 18 August-13 November at Petronius (SJP, v.); an adult was spotted 6 December at Ft. Pickens, FL (LFG, PB, PJ). Two very rare immature **Brown Boobies** were unexpected in winter. One was near Little Dauphin I., *Mobile*, 22 December (MSVH, RWH, p.a.), and a differently-patterned bird was at Ft. Morgan, *Baldwin*, 28 January (SER, p.a.). An impressive congregation of 600 Northern Gannets was at Ft. Pickens, FL, 22 January (RAD). Difficult to find inland, especially in numbers, up to 34 American

ALABAMA BIRDLIFE

White Pelicans were a surprise 31 October-26 November at Swan Creek WMA, *Limestone* (TAB, DB, HD, SWM, m.ob.). Even more unusual was a Brown Pelican wandering the Tennessee R. between Decatur and Florence 15 October-28 November (SW, TAB, SWM, m.ob., ph.), for only the seventh inland Alabama record. An immature **Great Cormorant** 14-22 December at Dauphin I., *Mobile* (RWH, MSVH, p.a.) was only the 14th noted for Alabama.

Eight Wood Storks 26 September in north *Baldwin* (BS) were rare for the GC; one stork 31 October in *Lowndes* (LFG) was unusually late. A flock of 70 Black Vultures 22 November in Guin, *Marion* (JJ) set a new MR maximum; the tally of 145 Turkey Vultures on the Gulf Shores CBC 1 January similarly raised the ante on the GC. Rare on the coast in winter, 14 Greater White-fronted Geese were at FWBSF 23 December (DMW), and up to 18 were near Foley, *Baldwin*, 20-31 January (ALM, ADM). At Speigner L., *Elmore*, 25 White-fronteds established an ICP maximum 6 February (BCG). A large movement of Snow Geese was observed 14 November, with 4000-5000 in the Florence area, *Lauderdale/Colbert* (DJS, PDK, WJR et al.); an estimated 500 Snows that day in east *Jefferson* (SWM) provided an MR maximum. Ross's Goose continues to appear annually in Alabama. Two were at the usual site in Wheeler NWR, *Limestone*, 26 November+ (SWM, m.ob.). The Ross's 29-31 January in south *Baldwin* (ALM, ADM) was only the fifth for the GC, while a first MR record was furnished by an individual near Harpersville, *Shelby*, 5 February+ (ALM, ADM, m.ob.).

A male **Eurasian Wigeon** appeared again this winter at Wheeler NWR 24 November+ (GEH, WDR, m.ob.). Rarely seen in winter in north Alabama, a Blue-winged Teal was at Blountsville, *Blount*, 14 January (SWM). At least 150 Greater Scaup were noteworthy 15 January at Guntersville, *Marshall* (WDR et al.); these were overshadowed by more than 1000 birds, setting an Alabama maximum, 9 February in the Tennessee R. at Town Cr., *Colbert/Lauderdale* (DJS). Another high count for the state was furnished by 80 Surf Scoters 1 December at Ft. Morgan (LRD, RAD et al.); up to 18 Surfs and 12 Blacks were noteworthy 6 January-9 February in east Mobile Bay, *Baldwin* (BS, m.ob.). Rare inland, a White-winged Scoter was in the Tennessee R., *Colbert*, 15 and 23 January (PDK, WJR, PJN, GNP et al.).

RAPTORS TO OWLS

At least 75 Mississippi Kites provided an Alabama high count 13 August in *Autauga* (RRS); one bird 29 September near Wilson Dam, *Colbert* (TMH) was unusual for that area. Extremely rare both for winter and an inland locale, an adult Swainson's Hawk was spotted 10 January at Huntsville, *Madison* (SRM).

A Black Rail observed at Dauphin I. 8-10 October (TAP, GLH, PK et al.) was rare. Three early Soras were at FWBSF 14 August (DMW, AK). Fifteen Sandhill Cranes were at Eufaula NWR, *Barbour*, 12 December (GEH), and up to 45 were counted at Wheeler NWR this winter (WDR, m.ob.); cranes are now regular in winter at these sites. More unusual were three Sandhills 23 January at Speigner, *Elmore* (LFG).

Setting a late ICP date, an American Golden-Plover was at the Woerner Turf Farm, *Lowndes*, 21 November (LFG, CTS). Two American Oystercatchers were unusual at Ft. Pickens, FL, 7 September (RAD). Rare inland, an American Avocet appeared in *Lauderdale* 10 October (TMH). Only the second in winter in the state, a Solitary Sandpiper was in Gulf Shores 1-2 January (HHK et al.). Two Spotted Sandpipers 2-9 January at Wilson Dam (PDK, m.ob.) were rare for the TV in winter; six on the Gulf Shores CBC 1 January were unusually abundant at that season. A fall inland maximum for Alabama was provided by 13 Upland Sandpipers in *Lowndes* 13 August (GDJ, GSA). The second MR sighting of Whimbrel occurred 12 September, when one appeared at Harpersville, *Shelby* (GJH, HHK, m.ob.). Up to 14 Marbled Godwits were impressive 11-13 October at Dauphin I. (JKS, m.ob.). Rare inland, a Ruddy Turnstone was located 29 August in *Shelby* (SWM).

White-rumped Sandpiper is rare in autumn. Two birds were in *Lowndes* 8 August (LFG) and another was at FWBSF 15 September (DMW); a White-rumped 28 October at Magnolia Springs, *Baldwin* (GEH et al.) established a late Alabama date. Also behind schedule was a Baird's Sandpiper 7 October at Bayou La Batre, *Mobile* (SWM). For a new TV arrival date, a Pectoral Sandpiper was found at Swan Creek WMA 13 February (DR & RC). The **Purple Sandpiper** at the Pensacola Bay Bridge, *Santa Rosa*, 27 February+ (PCT, BT, m.ob.) was only the fifth in the WP, and the first in 21 years. Late for the GC, a Buff-breasted Sandpiper was near Foley, *Baldwin*, to 21 October (BS). Rare in winter, two Long-billed Dowitchers were at Swan Creek WMA 16 December (GDJ). The Wilson's Phalarope 10 August in *Santa Rosa*, FL (RAD, LRD) was locally rare.

Rare but regular in the Gulf, three Pomarine Jaegers were identified at Petronius 24 August, 9 October, and 2 November (SJP). The surprising **Long-tailed Jaeger** 8 August at Ft. Pickens (RAD) provided a first WP record. Unidentified jaegers were noted 2 September at Petronius (SJP), 11 September at Ft. Pickens, FL (RAD), and 1 January at Gulf Shores (SWM). Rare but regular in the TV, a Laughing Gull was at Wheeler Dam, *Lauderdale*, 25 November-5 December (SWM, GNP, MA). Expected in small numbers in our region, I received seven reports of 11 Franklin's Gulls beginning 7 October from the WP, GC, and TV

ALABAMA BIRDLIFE

(SWM, AS, GNP, MA, DMW, RAD). Slowly increasing in incidence, rare Lesser Black-backed Gulls were observed again this winter. Adults were in the Florence area 6-18 January (GDJ, m.ob.) and at Magnolia Springs, *Baldwin*, 31 January (ALM, ADM); a first-year bird occurred at Guntersville 12 February (SWM). A rare immature Glaucous Gull was at Guntersville from at least 13 February (GDJ, DGJ, LBR, RAR, v.). The immature **Black-legged Kittiwake** 14 November at Riverton, *Colbert* (GNP, MA, p.a.) was an exciting find and only the 13th for the state.

Bridled Tern, expected far offshore in the warmer months, was recorded at Petronius 24 August and 1 November (both SJP), the latter a late date for Alabama. A stellar find, a **White-crowned Pigeon** was at Dune Allen Beach, *Walton*, 14-15 August (GB, DMW, AK et al., ph.); this southern vagrant had been recorded twice previously in the WP. Eurasian Collared-Dove continues to increase in our area; an Alabama maximum of 265 was recorded on the Gulf Shores CBC 1 January, and 96 collared-doves 22 December in *Limestone* (SWM) provided a new high count for the TV. While expected, and increasing, on the coast, White-winged Dove is very rare inland; one at Greenville, *Butler*, 22 November (AM) furnished a seventh inland record. Rare but regular in the WP, a Groove-billed Ani was spotted at FWBSF 25 November (LW).

Pelagic owl records are slim indeed, so the **Long-eared Owl** at Petronius 16 November (SJP, v., p.a.) was a shock; this represented the 12th record for Alabama, and the first since 1977. The erratic Short-eared Owl was noted inland 6 November+ in *Lauderdale* (TMH, PDK, MA, m.ob.), 14 December at Eufaula NWR (BF), and 14 January-7 March in *Autauga* (three birds; TAP, SER, m.ob.). Coastal records are scarce, but this year single birds were observed 1 December at Ft. Morgan (LRD, RAD et al.), 27 December at Big Lagoon SP, *Escambia*, FL (WJB, DZ, TM), and 29-30 January in *Santa Rosa*, FL (BCG, LFG et al.). A tardy nighthawk (unidentified) was spotted 30 December at Wilmer, *Mobile* (MC). Three Whip-poor-wills 13 August in Oakmulgee WMA, *Bibb* (GDJ, GSA) probably represented a new, or at least unreported, southern breeding locality.

HUMMINGBIRDS TO WOOD-WARBLERS

The rare **Buff-bellied Hummingbird**, recorded in Alabama seven times before 1999, appeared this fall and winter at several coastal locales beginning as early as 15 September in Cantonment, *Escambia*, FL (BK). One was banded at Daphne, *Baldwin*, 17 October (RRS, MBS, SF, ph., p.a.), another Buff-bellied was at Gulf Breeze, *Santa Rosa*, FL, 24 December+ (B&CK, FB, b.), and an individual was seen 14-16 January at Gulf Shores (PBI, JAL, p.a.). With only one previous inland record, the Buff-bellied at Brewton, *Escambia* 15 January+ (FB, A&MBW

et al., b., ph., p.a.) was particularly noteworthy. **Calliope Hummingbird** had been found six times in Alabama, and nine times in the WP, before this season. Immatures were banded 29 November at Albertville, *Marshall* (RRS, MBS, BP, ph., p.a.), 21 December in Pensacola, FL (FB, PB), and 15 January in Mobile (RRS, MBS, SWH, ph., p.a.). Alabama's fourth **Broad-tailed Hummingbird** was in Mobile 15 January-14 February (FB, RRS, MBS, LB, m.ob., b., ph., p.a.). Furnishing a 13th Alabama record, an **Allen's Hummingbird** was in Montgomery 7 November (FB, RC, b., ph., p.a.); another was in Mobile 16 January (RRS, MBS, JE, b., ph., p.a.).

A count of 113 Red-bellied Woodpeckers 18 December on the Waterloo CBC, *Colbert/Lauderdale*, furnished a new TV maximum. Rare but expected in early fall, Olive-sided Flycatchers were found 31 August in Birmingham (BCG), 3 September in Guin, *Marion* (JJ), and 5 September at Ft. Morgan (DC, MD, JF). An impressive total of 17 Yellow-bellied Flycatchers was recorded at Ft. Morgan 3 September-2 October (DC et al., b.). Scarce Vermilion Flycatchers were noted at FWBSF 30 September+ (RAD, LRD, m.ob.), Gulf Shores 1 December (LRD), and 14 December+ at Eufaula NWR (BF, m.ob.), the last especially rare inland. One to two rare Ash-throated Flycatchers were at FWBSF 11 December-15 January (LRD, MN et al.). An early Scissor-tailed Flycatcher was in Gulf Breeze 28 August (RAD), providing a first WP record for August; another 20 December at Cedar Point, *Mobile* (BS) was rare in winter.

Regular in small numbers on the coast in early autumn, Bell's Vireos were banded 31 August and 7 September at Ft. Morgan (DC et al., ph.). A lingering Blue-headed Vireo was spotted in Florence, *Lauderdale*, 30 November (TMH). Warbling Vireo can be difficult to find, so five at Ft. Morgan 31 August-6 October were notable (DC, RRS, ALM et al., three b.); one was spotted 26 September in Guin, *Marion* (JJ). Horned Larks continued at the Woerner Turf Farm, *Lowndes*, with over 100 noted 6 November (TAP) for a recent ICP maximum; at least 50 larks were unusual 10-11 November at the Birmingham airport (RRS). Two Purple Martins 22 February at Florence (DCI) were early for northwest Alabama. An early Red-breasted Nuthatch was in north *Shelby* 30 September (FM), and 38 on the Waterloo CBC 18 December set a TV high count.

A rare Bewick's Wren was discovered 2 October at Margerum, *Colbert* (GNP, MA). For an early WP record, a Sedge Wren was spotted 18 September at FWBSF (DMW). Eight Marsh Wrens in *Lowndes* 8 November (LFG) were notable for an inland locale. Good numbers of Golden-crowned Kinglets appeared at the coast this fall, with an early individual 13 October at Ft. Morgan (DC et al., b.). On the Waterloo CBC 18 December, 286 Ruby-crowned Kinglets were tallied for a new TV maximum. Good numbers of Veeries were banded at Ft. Morgan

ALABAMA BIRDLIFE

this autumn, including one bird 30 August setting an early GC date (DC et al.). **Sprague's Pipits** were observed at two sites on Eglin AFB, *Okaloosa*, 19 and 26 February (CP, DMW, LF), representing fourth and fifth WP occurrences.

The Golden-winged Warbler banded 12 October at Ft. Morgan (DC et al.) was tardy. Excellent numbers of Magnolia Warblers occurred coastally (*fide* DC, SJP), with a peak count of 112 at Petronius 12 October (SJP). Rare autumn Cape May Warblers were noted on Petronius 25 and 30 September (SJP, one v.); even more unusual was the Cape May 1 January on the Gulf Shores CBC (RRR), fourth for the state in winter. Two Black-throated Blue Warblers, difficult to find inland, were seen 3 and 15 October near Birmingham (BCG). Alabama's ninth "**Audubon's**" **Yellow-rumped Warbler** appeared at Petronius 12 October (SJP). Eight Blackburnian Warblers were noteworthy as early as 31 August on Petronius (SJP), and one bird 16 October in Montgomery (LFG) was behind schedule. A total of 357 Pine Warblers 1 January on the Gulf Shores CBC set a new Alabama maximum. Two Prairie Warblers on the Gulf Shores count (JVP, PCT et al.) were very rare, with only five prior winter records in the state.

An early Palm Warbler was banded at Ft. Morgan 11 September (DC et al.). Occasional in autumn, a Blackpoll Warbler was on Dauphin I. 9 October (JKS, v.). Considering negative population trends in recent years, the observation of eight Cerulean Warblers 31 August on Petronius (SJP) was notable, and furnished a GC fall maximum. Another good count on Petronius was of 158 American Redstarts 12 October (SJP). The retiring Mourning Warbler was plentiful this autumn on the coast, with one bird on Petronius 28 August (SJP), and a surprising 10 Mournings banded 31 August-30 September at Ft. Morgan (DC et al., ph.). Rare in the TV in winter, a Common Yellowthroat was in *Limestone* 12 February (DR&RC). A Wilson's Warbler 4 September in *Madison* (DR&RC) provided a new early TV date; Alabama's eighth Wilson's in winter was on the Gulf Shores CBC 1 January (PCT, BT).

TANAGERS TO FINCHES

Rare Western Tanagers were noted twice this fall in the WP; one appeared as early as 15 August at Gulf Breeze, *Santa Rosa* (RAD, LRD), and another was in *Okaloosa* 1 September (CP). Rare but regular on the coast in fall, Clay-colored Sparrows were noted 22 September on Petronius (SJP), 9-10 October (SWM, JRW et al.) and 13 October (DR&RC) at two sites on Dauphin I., 18-21 October at FWBSF (DMW, LF, LRD et al.), and 26 November+ at Ft. Pickens, FL (RAD, LRD, RSD et al.). For a fourth inland record, and first for the ICP, a Clay-colored was discovered 11 February at Eufaula NWR (DMW, LF, m.ob.). A Lark Sparrow at Auburn, *Lee*, 30 September-2 October (GEH) was both rare

and late for the MR. Single Lark Sparrows, uncommon to rare on the coast, were at Ft. Pickens, FL, 18 September-7 October (PCT et al.), Dauphin I. 11 October (JKS, v.), Petronius 14 October (WDP), FWBSF 28 October (LRD et al.), and on the Mobile Causeway 2 December (LRD et al.).

An early Savannah Sparrow was in Shelby 12 September (HHK, m.ob.). The Henslow's Sparrow 12 October at Dauphin I. (DR&RC) furnished an early state arrival date. Another Henslow's was rare for the MR in *Marion* 21 November (JJ), and six were notable 6 February in Conecuh NF, *Covington* (WDR et al.). Three Le Conte's Sparrows 7 October on the Mobile Causeway (RAR, LBR) set an early GC date; four to six birds were rare 21 November+ west of Florence (PDK, GNP, MA, TMH, m.ob.). Three Lincoln's Sparrows 24 October at Ft. Pickens, FL (PCT, BT), and four birds 31 October+ in *Lowndes* (LFG), were unusually plentiful; another Lincoln's in Montgomery 2 January (LFG) was rare for winter. Six White-crowned Sparrows 12 January at Harpersville, *Shelby* (GDJ, DGJ) represented a good recent concentration for the MR in winter.

Lapland Longspur can be hard to locate outside the central TV. The flock of at least 12 birds 21 November at the Woerner Turf Farm, *Lowndes* (LFG, CTS, PJ, RJ) provided both an early date for the ICP and the first record in decades; a lone bird was at this site 15 January (LFG). More than 75 Laplands were unusual for northwest Alabama 28 November+ west of Florence (TMH, PDK et al.). A **Chestnut-collared Longspur** stunned observers at Ft. Pickens 31 October-2 November (PB, m.ob., ph., p.a.), representing the first WP and third Florida occurrence; Alabama has no records of this western stray. Another big surprise, a **Snow Bunting** studied at close range at Selma, *Dallas*, 17 November (SER, p.a.) was a first for Alabama.

The WP's 13th **Black-headed Grosbeak** was at Gulf Breeze 17 September (LRD, RAD). A lingering Blue Grosbeak was at Ft. Morgan 14 November (WDR). Approximately 700 Indigo Buntings set an Alabama maximum 11 November in *Covington* (CTS, PS). Rare in winter, an adult male Painted Bunting brightened a feeder in Lillian, *Baldwin*, 3 January+ (JD). An early Dickcissel was spotted at Gulf Breeze, FL, 20 August (RAD). Unprecedentedly late for inland Alabama, and rare in fall in the ICP, a Bobolink was located in *Covington* 11 November (CTS, PS). A rare Yellow-headed Blackbird was videotaped at Dauphin I. 12 October (JKS). Far ahead of schedule, and setting a WP arrival record, was a Brewer's Blackbird 15 September at FWBSF (DMW). Not expected on the coast outside spring, a male Shiny Cowbird was spotted at Eglin AFB, *Okaloosa*, 20 December (RAD, LWr) for a first WP December record. Establishing a fifth winter record for the state, an Orchard Oriole was discovered 27 December on the Perdido Bay CBC, *Baldwin* (RAD). Small numbers of Red Crossbills

ALABAMA BIRDLIFE

continued through the winter at the breeding site near Coleman L. in Talladega NF, *Cleburne* (BS).

Cited Observers (area compilers in boldface): Moez Ali, Laurie Bailey, Peggy Baker, Fred Bassett, Gary Belling, Ann & Mike Biggs-Williams, Paul Blevins (PBI), William J. Bremser, Tom A. Brindley, Dick Bruer, Ed Case, Rosalyn Causey, David Cimprich, Danny Clark (DCI), Mich Coker, Dean R. & Raelene Cutten, Michelle Davis, Harry Dean, Jim Dickerson, Lucy R. Duncan, **Robert A. Duncan (northwest Florida)**, R. Scot Duncan, Jeanette Eden, Sarah Fannin, Jeff Farrington, Larry Fenimore, Barry Fleming, Larry F. Gardella, Ben C. Garmon, Tom M. Haggerty, Greg J. Harber, Ralph W. Havard, Gordon L. Hight, Geoff E. Hill, Mark S. Van Hoose, Debra G. Jackson, **Greg D. Jackson (Alabama)**, Pat Johnson, Ron Johnson, Jud Johnston, Betty & Charles Kahn, Beverly Kenney, Paul Kerlinger, Helen H. Kittinger, Paul D. Kittle, Alan Knothe, Jan A. Lloyd, Anabel Markle, Tom McCaskey, Steve W. McConnell, Ann L. Miller, Al D. Miller, Fred Moore, Sue R. Moske, Mary Newman, Phyllis J. Nofzinger, Charles Parkel, W. David Patton, James V. Peavy, Barry Peppers, Stacy J. Peterson, G. Ned Piper, Tommy A. Pratt, Shawn E. Reed, Robert R. Reid, Linda B. Reynolds, Richard A. Reynolds, W. Doug Robinson, William J. Rogers, Martha B. Sargent, Robert R. Sargent, Jan K. Shaw, Alan Sheppard, Damien J. Simbeck, Phil Snow, Carolyn T. Snow, George Stebbing-Allen, Bill Summerour, Betsy Tetlow, Phil C. Tetlow, Lesley Wanamaker, Donald M. Ware, Shirley Wayland, Sarah Whitfield (SWh), Jeff R. Wilson, Larry Wright (LWr), Dick Zani.

Greg D. Jackson, 2220 Baneberry Drive, Birmingham, AL 35244. E-Mail: greg-debi.jackson@prodigy.net